Howard & Howard

law for business

FACSIMILE TRANSMITTAL SHEET

This communication is confidential and intended only for the addressee. Any distribution or duplication of this communication is prohibited. If this facsimile was not intended for you, please telephone us immediately so that we can arrange for its return at our expense.

O:	PROM:	
Examiner V. Luong	Hal Milton	
OMPANY: U.S.P.T.O.	April 17, 2002	
AX NUMBER: (703) 305-7687	TOTALINO. OF PAGES INCLUDING COVER:	,
PHONE NUMBER:	sender's telephone number: (248) 723-0352	
CLIBNT NUMBER 65,748-449	sender's fax number:: (248) 645-1568	<u> </u>
RE: Serial No.: 09/115,764		
X urgent X for review	☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE	SE RECYCLE
NOTES/COMMENTS:		PEALS

Should you have any problems in receiving this facsimile please fee to be contact this office.

APR 1 7 2002

GROUP 3600

Official

HOWARD & HOWARD ATTORNEYS, P.C.
THE PINEHURST OFFICE CENTER, SUITE 101
39400 WOODWARD AVENUE
BLOOMFIELD HILLS, MICHIGAN 48304-5151





IN THE UNITED STATES OF PATENT AND TRADEMARK

Applicant

Michael Reasoner

Appl. No.

09/115,764

Filed

July 15, 1998

Title

CONDUIT SHORTENING ADJUSTMENT ASSEMBLY

Grp./A.U.

3682

Examiner

V. Luong

Docket No.

65,748-449

SUPPLEMENTAL AMENDMENT AFTER APPEAL

Honorable Commissioner for Patents Washington, D.C. 20231

Dear Sir.

Further to the Decision of the Board of Patent Appeals and Interferences dated March

ENTER

29, 2002, please amend the above-identified application as follows:

IN THE CLAIMS

Please amend claim 17 as follows:

The motion transmitting remote control assembly (10) of (Amended) claim A wherein said spring (22) expands axially to bias the components (18, 20) together to shorten the overall length of said first/and second conduit section (14, 16)

REMARKS/ARGUMENTS

Following the above amendment and the Decision of the Board of Patent Appeals and Interferences of March 29, 2002, all of the claims 4-40 are allowable.

The dependency of claim 17 had to be changed from cancelled claim 1 to allowed claim 4.